·	Application No.	Applicant(s)	
Notice of Allowability	10/606,127	KIM ET AL.	
	Examiner	Art Unit	
	Tarifur R. Chowdhury	2871	
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS nerewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not includ will be mailed in due	ed course. <b>THIS</b>
1. This communication is responsive to <u>02/16/06</u> .			
2. The allowed claim(s) is/are <u>1-10</u> .	*		
a)  Acknowledgment is made of a claim for foreign priority unal  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents have 2.  Certified copies of the priority documents have 3.  Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4.  A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 5.  CORRECTED DRAWINGS (as "replacement sheets") must (a)  including changes required by the Notice of Draftspers 1)  hereto or 2)  to Paper No./Mail Date  (b)  including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT in the properties of the priority documents and priority and	been received.  been received in Application No cuments have been received in this is of this communication to file a reply of this application.  itted. Note the attached EXAMINER' as reason(s) why the oath or declarate to be submitted. on's Patent Drawing Review (PTO-1) as Amendment / Comment or in the Office of BIOLOGICAL MATERIAL in the beader according to 37 CFR 1.121(c) sit of BIOLOGICAL MATERIAL in	complying with the re S AMENDMENT or Nation is deficient.  948) attached  ffice action of the last in the front (not the last).	quirements IOTICE OF
Attachment(s)    Notice of References Cited (PTO-892)   Notice of Draftperson's Patent Drawing Review (PTO-948)   Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date   Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P. 6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendn 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	ŕ

Application/Control Number: 10/606,127 Page 2

Art Unit: 2871

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application is in condition for allowance except for the presence of claims 11-21, nonelected without traverse in the response filed on August 25, 2004.

Accordingly, claims 11-21 have been canceled.

Application/Control Number: 10/606,127

Art Unit: 2871

## Allowable Subject Matter

Page 3

- 2. Claims 1-10 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:
- The prior arts of record do not anticipate or render obvious to one skilled in the art a liquid crystal display device having an array substrate comprising various elements as claimed, more specifically the limitation such as a semiconductor layer having an active layer over the gate electrode, a first extended portion, and a neck region connecting the active layer and the first extended portion, wherein the first extended portion and the neck region corresponding to the drain electrode, and wherein both sides of the neck region are completely covered with the drain electrode parallel to an extended direction of the drain electrode toward the source electrode is considered novel.
- 5. The closest reference USPAT 6,671,010 (Kwon) is related to a liquid crystal display device having an array substrate wherein the semiconductor layer having an active layer over the gate electrode, a first extended portion, and a neck region connecting the active layer and the first extended portion, wherein the first extended portion and the neck region corresponding to the drain electrode. However, Kwon alone or in combination with any other prior art references fails to teach or suggest that both side's of the neck region are completely covered with the drain electrode parallel to an extended direction of the drain electrode toward the source electrode.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 2871

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tarifur R. Chowdhury whose telephone number is (571) 272-2287. The examiner can normally be reached on M-Th (6:30-5:00) Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim can be reached on (571) 272-2293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TRC April 24, 2006

TARIFUR R. CHOWDHURY
PRIMARY EXAMINER